

Subject index of volume 111

- Abuse 301
- ACE inhibitors 435
- Acetylcholine 99
- Acoustic startle response 339
- Acquisition memory 376
- Active avoidance response 376
- Acute tolerance 472
- Adenosine A₂ receptor 383
- Adjusting-delay paradigm 239
- Adrenocortical 499
- Affect 367
- Aggression 17, 144, 163, 367
- Aging N-methyl-D-aspartate 391
- Alcohol 144, 285, 409
- Alprazolam 91, 295
- Alzheimer's disease 23
- Amphetamine 1
- Analgesia 17, 367, 499
- Aniotensin II antagonists 435
- Anoxia 153
- Antagonism 415
- Anterograde amnesia 415
- Anticonflict 415
- Anticonvulsants 486
- Anticonvulsive 415
- Antihistamines 139
- Antinociception 106, 423
- Antipsychotic 359
- Antipsychotics 351
- Anxiety 244, 491
- Anxiolytics 144
- Apomorphine 55, 383
- Attention 117
- Aversion 190
- Baclofen 219
- Basal forebrain 442
- Behavior 169
- Behavioral parameters 295
- Benzodiazepine 91, 244, 301
- Benzodiazepine receptor ligands 415
- Benzodiazepines 127, 144, 185, 315, 491
- Beta-phenyl-beta-alanine 219
- Biochemical parameters 295
- Biperiden 27
- Blood pressure 256
- Brain 233
- Brain histamine content 376
- Brain stimulation reward 402
- Bretazenil 415
- Bupirone 55, 69
- Caffeine 1
- Calcium channel antagonist 457
- β -Carboline ZK 93426 195
- Cardiac effects 285
- Cardiovascular parameters 295
- CGP 35348 219
- Chlormethiazole 96, 256
- Cholinomimetics 435
- Chronic 508
- Chronic treatment 457
- Clonidine 78
- Clozapine 339
- Cocaethylene 39
- Cocaine 39, 109, 139, 202, 285, 332, 409
- Color 117
- Competitive NMDA antagonist 465
- Conditioned emotional response 244
- Conditioned place preference 442
- Conditioned tolerance 499
- Conditioning 109, 477, 499
- Continuous versus intermittent cocaine 179
- Corticosterone 323, 499
- CPP 465
- Cyclic GMP 96
- Cyprodime 486
- Defense 190
- Delayed matching to position 465
- Delayed reinforcement 239
- Dependence 301
- Depression 123
- Deprivation 472
- Dextrophan 153
- DHEAS/CRT ratio 23
- DHEAS/CRT serum level 23
- Diazepam 185, 415
- Digital image processing 278
- 5,7-Dihydroxytryptamine 239
- Discriminative effects of drugs 259
- Discriminative stimulus 259
- Disinhibition 195
- Dizocilpine 96, 256
- Dopamine 99, 123, 339, 351
- Dopamine antagonists 106
- Dopamine autoreceptor agonist 123
- Dopamine (DA) D₁ and D₂ receptors 225
- Dopamine-denervation 383
- Dopamine-2 receptor 55
- Dose-response 215
- Drug cues 259
- Drug discrimination 55, 69, 244, 259, 315
- Drug interaction 139
- Drug interactions 285
- Drug self-administration 409
- D₁/D₂ dopamine receptors 427
- ECS 495
- Electroconvulsive shock 495
- Electroshock seizure threshold 486
- Elevated maze 323
- Endogenous opioids 486
- Escape 163
- Ethanol 39, 219
- Etonitazene 409
- Excitotoxin 391
- Extrapyramidal motor system 99
- Fear 62, 190, 323, 491
- Feeding 144, 207
- Fenfluramine 169
- Fentanyl 477
- FG 8205 185
- Fixed ratio 202
- Fluid consumption 185
- Flumazenil 415
- ³H-flumazenil 315
- α -Fluoromethylhistidine 376
- Fluphenazine 351
- GABA-A, GABA-B receptors 134
- GABA-ergic system 495
- GABA_B receptor 219
- GBR 12909 202
- Genetic differences 409
- Glutamate 339, 391
- Habituation 153, 185, 442
- Haloperidol 55, 99, 339, 359
- Harmaline 96
- Healthy volunteers 306
- Heart rate 256, 285
- Heroin 215
- Histamine 376
- Hot-plate 62
- 5-HT_{1A} receptor 55
- Human 163
- Human information processing 127
- Humans 259, 285, 306
- 5-Hydroxyindole-3-acetic acid 233
- 2-Hydroxysaclofen 219
- 5-Hydroxytryptamine 239
- Hyperactivity 106
- Hyperphagia 415
- Hypoactivity 106
- Hypoalgesia 62
- Hyponoepahgia 323
- Inbred mouse strains 323
- Infant rats 78
- Inhibitory avoidance learning 442
- Instrumental assessment 278
- Interaction 27
- Inter-species comparison 259
- Intraoral sucrose infusions 78
- Intrinsic efficacy 415
- Ipsapirone 47
- Ischemia 153
- Kappa receptor 345
- Ketanserin 69
- Lateral hypothalamus 402
- Learning 33
- Lidocaine 495
- Lithium 359
- Locomotion 169, 402
- Locomotor activity 109, 427
- Locomotor enhancing action 423
- Locomotor stimulation 219
- Lorazepam 91
- Male sexual behavior 47
- Marijuana 163
- Maternal odours 78
- m-CPP 47
- Mecamylamine 195
- Memory 33, 127, 134, 391
- Memory disruption 85
- Meperidine 306
- Mesolimbic dopamine system 423
- Methamphetamine 139

Subject index of volume 111

- Abuse 301
- ACE inhibitors 435
- Acetylcholine 99
- Acoustic startle response 339
- Acquisition memory 376
- Active avoidance response 376
- Acute tolerance 472
- Adenosine A₂ receptor 383
- Adjusting-delay paradigm 239
- Adrenocortical 499
- Affect 367
- Aggression 17, 144, 163, 367
- Aging N-methyl-D-aspartate 391
- Alcohol 144, 285, 409
- Alprazolam 91, 295
- Alzheimer's disease 23
- Amphetamine 1
- Analgesia 17, 367, 499
- Aniotensin II antagonists 435
- Anoxia 153
- Antagonism 415
- Anterograde amnesia 415
- Anticonflict 415
- Anticonvulsants 486
- Anticonvulsive 415
- Antihistamines 139
- Antinociception 106, 423
- Antipsychotic 359
- Antipsychotics 351
- Anxiety 244, 491
- Anxiolytics 144
- Apomorphine 55, 383
- Attention 117
- Aversion 190
- Baclofen 219
- Basal forebrain 442
- Behavior 169
- Behavioral parameters 295
- Benzodiazepine 91, 244, 301
- Benzodiazepine receptor ligands 415
- Benzodiazepines 127, 144, 185, 315, 491
- Beta-phenyl-beta-alanine 219
- Biochemical parameters 295
- Biperiden 27
- Blood pressure 256
- Brain 233
- Brain histamine content 376
- Brain stimulation reward 402
- Bretazenil 415
- Bupirone 55, 69
- Caffeine 1
- Calcium channel antagonist 457
- β -Carboline ZK 93426 195
- Cardiac effects 285
- Cardiovascular parameters 295
- CGP 35348 219
- Chlormethiazole 96, 256
- Cholinomimetics 435
- Chronic 508
- Chronic treatment 457
- Clonidine 78
- Clozapine 339
- Cocaethylene 39
- Cocaine 39, 109, 139, 202, 285, 332, 409
- Color 117
- Competitive NMDA antagonist 465
- Conditioned emotional response 244
- Conditioned place preference 442
- Conditioned tolerance 499
- Conditioning 109, 477, 499
- Continuous versus intermittent cocaine 179
- Corticosterone 323, 499
- CPP 465
- Cyclic GMP 96
- Cyprodime 486
- Defense 190
- Delayed matching to position 465
- Delayed reinforcement 239
- Dependence 301
- Depression 123
- Deprivation 472
- Dextrophan 153
- DHEAS/CRT ratio 23
- DHEAS/CRT serum level 23
- Diazepam 185, 415
- Digital image processing 278
- 5,7-Dihydroxytryptamine 239
- Discriminative effects of drugs 259
- Discriminative stimulus 259
- Disinhibition 195
- Dizocilpine 96, 256
- Dopamine 99, 123, 339, 351
- Dopamine antagonists 106
- Dopamine autoreceptor agonist 123
- Dopamine (DA) D₁ and D₂ receptors 225
- Dopamine-denervation 383
- Dopamine-2 receptor 55
- Dose-response 215
- Drug cues 259
- Drug discrimination 55, 69, 244, 259, 315
- Drug interaction 139
- Drug interactions 285
- Drug self-administration 409
- D₁/D₂ dopamine receptors 427
- ECS 495
- Electroconvulsive shock 495
- Electroshock seizure threshold 486
- Elevated maze 323
- Endogenous opioids 486
- Escape 163
- Ethanol 39, 219
- Etonitazene 409
- Excitotoxin 391
- Extrapyramidal motor system 99
- Fear 62, 190, 323, 491
- Feeding 144, 207
- Fenfluramine 169
- Fentanyl 477
- FG 8205 185
- Fixed ratio 202
- Fluid consumption 185
- Flumazenil 415
- ³H-flumazenil 315
- α -Fluoromethylhistidine 376
- Fluphenazine 351
- GABA-A, GABA-B receptors 134
- GABA-ergic system 495
- GABA_B receptor 219
- GBR 12909 202
- Genetic differences 409
- Glutamate 339, 391
- Habituation 153, 185, 442
- Haloperidol 55, 99, 339, 359
- Harmaline 96
- Healthy volunteers 306
- Heart rate 256, 285
- Heroin 215
- Histamine 376
- Hot-plate 62
- 5-HT_{1A} receptor 55
- Human 163
- Human information processing 127
- Humans 259, 285, 306
- 5-Hydroxyindole-3-acetic acid 233
- 2-Hydroxysaclofen 219
- 5-Hydroxytryptamine 239
- Hyperactivity 106
- Hyperphagia 415
- Hypoactivity 106
- Hypoalgesia 62
- Hyponoepahgia 323
- Inbred mouse strains 323
- Infant rats 78
- Inhibitory avoidance learning 442
- Instrumental assessment 278
- Interaction 27
- Inter-species comparison 259
- Intraoral sucrose infusions 78
- Intrinsic efficacy 415
- Ipsapirone 47
- Ischemia 153
- Kappa receptor 345
- Ketanserin 69
- Lateral hypothalamus 402
- Learning 33
- Lidocaine 495
- Lithium 359
- Locomotion 169, 402
- Locomotor activity 109, 427
- Locomotor enhancing action 423
- Locomotor stimulation 219
- Lorazepam 91
- Male sexual behavior 47
- Marijuana 163
- Maternal odours 78
- m-CPP 47
- Mecamylamine 195
- Memory 33, 127, 134, 391
- Memory disruption 85
- Meperidine 306
- Mesolimbic dopamine system 423
- Methamphetamine 139

- Methylphenidate 1
 Mice 106, 153
 Midazolam 62
 Miosis 306
 MK 801 465
 MK-801 153, 339, 427
 Mood 259, 306
 Morphine 17, 117, 207, 367, 423, 477
 Morphine analgesia 457
 Morphine dependence 233, 457
 Morphine tolerance 457
 Morphine withdrawal 233
 Morris maze 153
 Mortality 153
 Motor behavior 144
 Motor function 153
 Mouse 33, 134
 Movement disorders 278
 Muscarinic 508

 Naloxone 62, 117, 486
 Naltrexone 78, 215
 NAN-190 69
 Neocortical EEG slowing 195
 Neophobia 185
 N-ethoxycarbonyl-2-ethoxy-1,2-dihydroquinoline (EEDQ) 225
 Neuroendocrine parameters 295
 Neuroleptic 99
 Neurotransmitters 1
 Nicotine 1, 106, 472, 499
 Nicotine dependence 271
 Nicotine gum 271, 449
 Nicotine patch 271
 Nicotine withdrawal 271
 Nicotinic 508
 Nifedipine 457
 NMDA 332
 NMDA antagonist 427
 N-methyl-D-aspartate 256
 N-Methyl-D-aspartate 153
 Non-competitive NMDA antagonist 465
 Norbinaltorphimine 345
 Novelty 62
 NPA 225
 Nucleus accumbens 109, 207
 Nucleus basalis 195

 8-OH-DPAT 47, 55, 69
 Olfactory place preference 78
 One-trial inhibitory avoidance 134
 Open field activity 323
 Operant 163
 Operant behaviour 239
 Opiates 207, 306
 Opioid 345
 Opioid receptors 486
 Opioids 139, 477
 κ opioids 69
 δ -Opioid receptors 423

 Oral route 409
 Oral self-administration 477
 Oxazepam 33

 Pain 190
 Pain threshold 472
 Parkinsonism 99
 Partial agonism 415
 Partial generalization 55
 Passive avoidance 153
p-Chloroamphetamine 169
p-CPA 69
 Penile erection 47
 Pentobarbital 96
 Pentylentetrazole 244
 Perception 117
 Phaclofen 219
 Pharmacodynamic 27
 Pharmacogenetics 17
 Pharmacokinetic 27
 Phencyclidine 85
 Phencyclidine 402
 Pig 244
 Pigeon 117
 Pigeons 69
 Place preference 139
 Potassium cyanide 153
 Prenatal treatment 33
 Prepulse inhibition 339
 Primates 47, 144
 Progressive ratio 215
 Progressive ratio schedule 202
 Prolactin 123
 Propranolol 78
 Psychomotor performance 285, 306
 Psychophysiological measures 472

 Quinpirole 225

 R 79598 55
 Raclopride 78
 Radial maze 435
 Ra-octil 442
 Rat 85, 109, 139, 190, 207, 239, 383, 427, 435, 442, 465, 495, 508
 Rat pups 225
 Rats 169, 179, 185, 202, 339
 Receptors 351, 508
 ω (BZ) receptors 315
 Relapse 477
 Remoxipride 27
 Rhesus monkeys 47
 Ro 15-1788 144
 Ro 41-7812 415
 Ro 42-8773 415
 Rotarod deficit 415
 Roxindole 123

 S(+)-Aporphines 351
 Schizophrenia 339, 359
 Scopolamine 99, 195, 435

 Seizure threshold 495
 Selected rat lines 409
 Self-administration 202, 215, 332
 Self-stimulation 345
 Sensitization 109, 179, 402
 Sensorimotor gating 339
 Sensory evoked potentials 256
 Sensitization 332
 Serotonin 47, 69, 169, 233
 Sex, age difference 23
 Short term memory 465
 SKF 38393 225
 Smoking 472
 Smoking cessation 271
 Social behavior 144
 Social interactions 190
 Sodium cromoglycate 233
 Spatial learning 508
 Spatial learning test 85
 Spatial memory 435
 Spiradoline 69
 Squirrel monkeys 144
 Startle response 323
 Stereotypy 351
 Stimulants 1
 Stimulation-induced feeding 345
 Stimulus control 259
 Stimulus effects of drugs 259
 Strain difference 134
 Stress 323, 477, 499
 Striatum 207, 383
 Stroking 78
 Subjective effects 259, 306
 Substance P 442
 Suckling 78
 Sulpiride 55
 Supersensitivity 351
 Swimming navigation 33

 Tardive dyskinesia 99, 278, 351
 Taste 409
 Telephone testing 127
 Tolerance 91, 179, 351, 491, 499
 Treatment outcome 449
 Treatment resistant 359
 Tremor 96

 Ultrasonic vocalization 367
 Ultrasonic vocalizations 78, 190
 Use 301

 Vigilance performance 1
 Visual discrimination Luminance 117

 Wavelength 117
 Withdrawal 477
 Withdrawal signs 449

 Zolpidem 185, 315,